
TD Ameritrade API Python Client

Release 0.1.0

Aug 22, 2019

Contents

1 Overview	1
1.1 Installation	1
1.2 Documentation	1
1.3 Development	1
2 Installation	3
3 Usage	5
4 Reference	7
4.1 tdam_api	7
5 Contributing	9
5.1 Bug reports	9
5.2 Documentation improvements	9
5.3 Feature requests and feedback	9
5.4 Development	10
6 Authors	11
6.1 Contributors	11
7 Changelog	13
7.1 0.1.0 (2019-08-22)	13
8 Indices and tables	15
9 Feedback	17
Python Module Index	19
Index	21

CHAPTER 1

Overview

docs	
tests	
package	

A Python Client for the TD Ameritrade API

- Free software: MIT license

1.1 Installation

```
pip install tdam_api
```

1.2 Documentation

https://tdam_api.readthedocs.io/

1.3 Development

To run the all tests run:

```
tox
```

Note, to combine the coverage data from all the tox environments run:

Windows	set PYTEST_ADDOPTS==cov-append tox
Other	PYTEST_ADDOPTS==cov-append tox

CHAPTER 2

Installation

At the command line:

```
pip install tdam_api
```


CHAPTER 3

Usage

To use TD Ameritrade API Python Client in a project:

```
import tdam_api
```


CHAPTER 4

Reference

4.1 tdam_api

CHAPTER 5

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

5.1 Bug reports

When reporting a bug please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.2 Documentation improvements

TD Ameritrade API Python Client could always use more documentation, whether as part of the official TD Ameritrade API Python Client docs, in docstrings, or even on the web in blog posts, articles, and such.

5.3 Feature requests and feedback

The best way to send feedback is to file an issue at https://github.com/jbasu/tdam_api/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that code contributions are welcome :)

5.4 Development

To set up `tdam_api` for local development:

1. Fork `tdam_api` (look for the “Fork” button).
2. Clone your fork locally:

```
git clone git@github.com:jbasu/tdam_api.git
```

3. Create a branch for local development:

```
git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

4. When you’re done making changes, run all the checks, doc builder and spell checker with `tox` one command:

```
tox
```

5. Commit your changes and push your branch to GitHub:

```
git add .  
git commit -m "Your detailed description of your changes."  
git push origin name-of-your-bugfix-or-feature
```

6. Submit a pull request through the GitHub website.

5.4.1 Pull Request Guidelines

If you need some code review or feedback while you’re developing the code just make the pull request.

For merging, you should:

1. Include passing tests (run `tox`)¹.
2. Update documentation when there’s new API, functionality etc.
3. Add a note to `CHANGELOG.rst` about the changes.
4. Add yourself to `AUTHORS.rst`.

5.4.2 Tips

To run a subset of tests:

```
tox -e envname -- pytest -k test_myfeature
```

To run all the test environments in *parallel* (you need to `pip install detox`):

```
detox
```

¹ If you don’t have all the necessary python versions available locally you can rely on Travis - it will run the tests for each change you add in the pull request.

It will be slower though ...

CHAPTER 6

Authors

- Jyoti Basu - <jyotibasu@engineeredtrades.com>

6.1 Contributors

None yet. Why not be the first?

CHAPTER 7

Changelog

7.1 0.1.0 (2019-08-22)

- First release on PyPI.

CHAPTER 8

Indices and tables

- genindex
- modindex
- search

CHAPTER 9

Feedback

If you have any suggestions or questions about **TDAmeritrade API Python Client** feel free to email me at jyotibasu@engineeredtrades.com.

If you encounter any errors or problems with **TDAmeritrade API Python Client**, please let me know! Open an Issue at the GitHub https://github.com/jbasu/tdam_api main repository.

Python Module Index

t

[tdam_api](#), 7

Index

T

`tdam_api` (*module*), 7